

# ***HDFocus* Specification**

## Floorstanding Kiosk Dual Screen

## 55" Floorstanding Kiosk with Dual Screens

### HD-55F-T D Windows Pro

#### 1. Product Outlook



Overview

## 2. Main Features

- ✓ Excellent design with apple shape, aluminum alloy edging;
- ✓ Dual displays, front and back all can be viewed;
- ✓ Two units 55" brand new original panels with LED backlight;
- ✓ Excellent design with super slim body;
- ✓ Built in 10 points sensitive IR touch(both side can touch);
- ✓ Windows OS, Windows 7,8.1 and 10 trial version;
- ✓ Can support to customize Android OS;
- ✓ System support USB upgrade and remote network upgrade;
- ✓ Color available: black, silver grey, champagne golden;
- ✓ Support Ethernet, WIFI network, and can customize 3/4G function;
- ✓ Support to work together with HD-DS signage software.
- ✓ Industrial level design, support 24/7 working;
- ✓ CE&RoHS certified.

## 3. Display (Two screens built in)

Display Screen	55" TFT-LCD with LED backlight
Display Ratio	16:9
Color	16.77M colors (8-bit)
Display area	1209.6*680.4
Resolution	1920*1080
Brightness	450cd/m <sup>2</sup>
Contrast	1100:1
Response Time	Less than 5ms
View Angle	178° left and right, up and down
Life time	Over 50,000hrs

## 4. Windows Pro Performance (Two motherboards)

Windows Pro Integrated	Intel® Core Dual i3 CPU, 4 <sup>th</sup> Gen.
RAM	DDR 3, 4G RAM
SSD	128G SSD (can expand)
Main Board	Industrial board
Network Port (Windows OS)	10/100M/1000M adaptive port
WIFI	Support WIFI
Windows OS	Windows 7, 8.1, 10 trial version

## 5. Interface (Dual)

USB	USB*2,
COM	COM*1
HDMI Output	HDMI*1
VGA Output	VGA*1
MIC Audio Input	MIC Audio*1
Line Audio Output	Line*1
Network	RJ45*1, built-in Gigabit Ethernet
WIFI	WIFI*1, support 802.11 b/g/n


## 6. IR Touch (Double side built in IR Touch)

Touch Type	Infra-red
Points	10 points
Glass cover	Tempered glass cover
Response Time	Less than 5ms
Resolution	32767 * 32767
Position Accuracy	±1.5mm
Communication	USB2.0
Life Time	Over 60,000,000 touches


## 7. Others

Format	PAL, NTSC
Speaker	10W*4
Freestand Basement	Basement*1
Wheels	Lockable wheels (optional)
Voltage	DC12V/AC100-240V 50/60Hz
Power	≤ 100W
Net Dimension	1965 *771.6*143mm
Net Weight	85KG
Gross Weight	105KG


## 8. Dimension Drawing



## 9. HD-DS Digital Signage Software




Program Interface Edited by HD-DS Software



### HD-DS Key Features:

- ✘ Easy to operate, user can manage the system anywhere as long as he has internet access;
- ✘ Support online edit program and release program;
- ✘ Support visually make program, can preview the program immediately;
- ✘ Support centrally manage the system, but every terminal will download the program and play locally;
- ✘ Networking based, central control of multiple kiosks;
- ✘ Remotely control, such as restart, volume adjust, system upgrade;



Shenzhen HDFocus Technology Co., Ltd

Add: 5th Floor, 51 Building, Bantian No. 3 Industrial Park, Bantian Community, Bantian Street,  
Longgang, Shenzhen, China 518129  
T: 0086 755 8520 4829

Web: [www.hdfocuspro.com](http://www.hdfocuspro.com)